

Continuous Review Two-Echelon (s,S) Inventory System with Partial Backlogging

S. Mohamed Basheer¹, R. Karthikeyan² and K. Krishnan³

^{1,3}PG & Research Department of Mathematics
Cardamom Planters' Association College, Bodinayakanur
Tamil Nadu, India -625513

²Govt. Polytechnic College, Aundipatty, Tamilnadu, India

³Corresponding author. E-mail drkkmaths@gmail.com

Received 17 March 2018; accepted 21 April 2018

Abstract. Inventories exist throughout the supply chain in various forms for various reasons. This paper presents a continuous review two echelon inventory system. The operating policy at the lower echelon is (s, S) that is whenever the inventory level traps to s on order for $Q = (S-s)$ items is placed, the ordered items are received after a random time which is distributed as exponential. We assume that the demands accruing during the stock-out period are partially backlogged. The retailer replenishes their stock from the regular supplier which adopts (0,M) policy, $M = n_1Q$. When the regular supplier stock is empty the replacement of retailer stock made by the outside supplier who adopts (0,N) policy $N = n_2Q$. The joint probability distribution of the inventory levels of retailer, regular supplier and the outside supplier are obtained in the steady state case. Various system performance measures are derived and the long run total expected inventory cost rate is calculated. Several instances of numerical examples, which provide insight into the behavior of the system are presented.

Keywords: Continuous review inventory system, two-echelon, positive lead time, partial backlogging

AMS Mathematics Subject Classification (2010): 90B05

1. Introduction

Most manufacturing enterprises are organized in to network of manufacturing and distributed sites that procure raw-material, process them into finished goods and distributed the finished goods in to customers. The terms multi-echelon or multi-level production distribution network and also synonymous with such networks (supply chain) when on items move through more than one steps before reaching the final customer. Inventory exist throughout the supply chain in various form for various reasons. At any manufacturing point they may exist as raw – materials, work-in processor finished goods.

The usual objective for a multi-echelon inventory model is to coordinate the inventories at the various echelons so as to minimize the total cost associated with the entire multi-echelon inventory system. This is a natural objective for a fully integrated corporation that operates the entire system. It might also be a suitable objective when

certain echelons are managed by either the suppliers or the retailers of the company. Multi-echelon inventory system has been studied by many researchers and its applications in supply chain management has proved worthy in recent literature. As supply chains integrates many operators in the network and optimize the total cost involved without compromising as customer service efficiency. The first quantitative analysis in inventory studies Started with the work of Harris [7]. Clark and Scarf (1960) [4] had put forward the multi-echelon inventory first. They analyzed a N-echelon pipelining system without considering a lot size, Recent developments in two-echelon models may be found in. One of the oldest papers in the field of continuous review multi-echelon inventory system is a basic and seminal paper written by Sherbrooke in 1968. HP's (Hawlett Packard) Strategic Planning and Modeling (SPaM) group initiated this kind of research in 1977. Continuous review models of multi-echelon inventory system in 1980s concentrated more on repairable items in a Depot-Base system than as consumable items (see Graves, Moinzadeh and Lee). Kalpakam and Arivarignan (1988) introduced multiple reorder level policy with lost sales in inventory control system.

All these papers deal with repairable items with batch ordering. Jokar and Seifbarghy analyzed a two echelon inventory system with one warehouse and multiple retailers controlled by continuous review (R, Q) policy. A Complete review was provided by Beamon [2]. Axsater [1] proposed an approximate model of inventory structure in SC. He assumed (S-1, S) polices in the Depot-Base systems for repairable items in the American Air Force and could approximate the average inventory and stock out level in bases.

The supply chain concept grow largely out of two-stage multi-echelon inventory models, and it is important to note that considerable research in this area is based on the classic work of Clark and Scarf (1960). Continuous review perishable inventory models studied by Kalpakam. S and Arivarignan (1998) [8] and a continuous review perishable inventory system at Service Facilities was studied by Elango and Arivarignan [5]. A continuous review (s, S) policy with positive lead times in two-echelon Supply Chain for both perishable and non perishable was considered by Krishnan and Elango 2005. Krishnan and Elango continuous review (s, S) policy with positive lead times in two echelons Supply Chain was considered by Krishnan (2007). Rameshpandy et al. [13] consider a Two-Echelon Perishable Inventory System with direct and Retrial demands and Satheeshkumar [14] et al. consider a Partial Backlogging Inventory System in Two-echelon with Retrial and Direct Demands. The rest of the paper is organized as follows. The model formulation is described in section 2, along with some important notations used in the paper. In section 3, steady state analysis are done: Section 4 deals with the derivation of operating characteristics of the system. In section 5, the cost analysis for the operation. Section 6 provides numerical examples and sensitivity analysis.

2. Model

2.1. The problem description

The inventory control system in supply chain considered in this paper is defined as follows. A supply chain system consisting one Manufacturer (MF), two suppliers (regular and outside), single disruption centre (DC) and 'n' identical retailers dealing with a single finished product. These finished products moves from the manufacturer through the network consist of manufacture, supplier, DC, Retailers and the final customer.

Continuous Review Two-Echelon (s, S) Inventory System with Partial Backlogging

A finished product is supplied from MF to supplier (regular and outside) which adopts (0,M) and (0, N) replenishment policy then the product is supplied to retailer who adopts (s,S) policy. The demand at retailers node follows a Poisson distribution with rate $\lambda > 0$. The replacement of item in terms of product is made from regular supplier is administrated with exponential distribution having parameter $\mu_1 \geq 0$. The replenishment of items of pocket is made from outside supplier with rate $\mu_2 \geq 0$. Demands accruing during the stock out periods are assumed to be lost. The maximum inventory level at retailer node S is fixed, and the recorder point is s and the ordering quantity is $Q (=S-s)$ items. The maximum inventory at regular supplier in $M (=nQ)$ and outsource supplier in $N (=nQ)$.

3. Analysis

Let $I_1(t), I_2(t)$ and $I_D(t)$ denote the on hand inventory levels of outside suppliers, regular suppliers and retailer respectively at time t^+ .

We define

$$I(t) = \{ (I_1(t), I_2(t), I_D(t),) : t \geq 0 \}$$

as a Markov process with state space

$$E = \{ (i, j, k) \mid i = 0, \dots, nQ, j = 0, \dots, nQ, k = S, S-1, \dots, 1, 0, -1, -2, \dots, -b \}.$$

Since E is finite and all its states are aperiodic, recurrent non-null and also irreducible. That is all the states are ergodic. Hence the limiting distribution exists and is independent of the initial state

The infinitesimal generator matrix of this process $C = (a(i, j, k, l, m, n))_{(i,j,k)(l,m,n) \in E}$ can be obtained from the following arguments.

- The arrival of a demand at retailer make a state transition in the Markov process from (i, j, k) to $(i-1, j, k)$ with the intensity of transition $\lambda > 0$.
- The replacement of inventory at retailer from regular supplier makes a state transition from (i, j, k) to $(i+Q, j-Q, k)$ with intensity of transition $\mu_1 > 0$.
- The replacement of inventory at distributor from outside supplier makes a state transition from (i, j, k) to $(i+Q, j, k-Q)$ with intensity of transition $\mu_2 > 0$.

The infinitesimal generator C is given by

$$C = \begin{bmatrix} A & B & 0 & \dots & 0 & 0 \\ 0 & A & B & \dots & 0 & 0 \\ \vdots & \vdots & \vdots & \dots & \vdots & \vdots \\ 0 & 0 & 0 & \dots & A & B \\ B & 0 & 0 & \dots & 0 & A \end{bmatrix}$$

Hence entries of C is given by

S. Mohamed Basheer, R. Karthikeyan and K. Krishnan

$$[C]_{pq} = \begin{cases} A & p = q; & q = nQ, & (n-1)Q, \dots, Q \\ B & p = q + Q; & q = (n-1)Q, \dots, Q \\ B & p = q - (n-1)Q & q = nQ \\ 0 & \text{otherwise} \end{cases}$$

The sub matrices are given by

$$[A]_{pq} = \begin{cases} A_{11} & p = q; & q = nQ, & (n-1)Q, \dots, Q \\ A_{12} & p = q + Q; & q = (n-1)Q, \dots, Q \\ A_{13} & p = q - (n-1)Q & q = nQ \\ A_{14} & p = q & q = 0 \\ 0 & \text{otherwise} \end{cases}$$

$$[B]_{pq} = \begin{cases} A_{12} & p = q; q = 0 \\ 0 & \text{otherwise} \end{cases}$$

The sub matrices of A and B are

$$[A]_{11} = \begin{cases} \lambda & p = q; q = S, \dots, s+1 \\ -(\lambda + \mu_1) & p = q; q = s, \dots, 1, 0, \dots, -(b+1) \\ -\mu_1 & p = q; q = -b \\ \lambda & p = q + 1; q = S - 1, \dots, 1, 0, \dots, -(b+1) \\ 0 & \text{otherwise} \end{cases}$$

$$[A]_{12} = \begin{cases} \mu_1 & p = q - Q; q = S, S-1, \dots, Q \\ 0 & \text{otherwise} \end{cases}$$

$$[A]_{13} = \begin{cases} \mu_2 & p = q; q = S, \dots, 0, \dots, -b \\ 0 & \text{otherwise} \end{cases}$$

$$[A]_{14} = \begin{cases} -(\lambda + \mu_2) & p = q; q = S, \dots, s+1 \\ -(\lambda + \mu_1 + \mu_2) & p = q; q = s, \dots, 1, \dots, -(b+1) \\ -(\mu_1 + \mu_2) & p = q; q = -b \\ \lambda & p = q + 1; q = S - 1, \dots, 1, 0, \dots, -b \\ 0 & \text{otherwise} \end{cases}$$

Continuous Review Two-Echelon (s, S) Inventory System with Partial Backlogging

3.1. Steady state analysis

The structure of the infinitesimal matrix C , reveals that the state space E of the Markov process $\{I(t) : t \geq 0\}$ is finite and irreducible. Let the limiting probability distribution of the inventory level process be

$\prod_{j,k}^i = \lim_{t \rightarrow \infty} \Pr\{(I_1(t), I_2(t), I_3(t)) = (i, j, k)\}$ where $\prod_{j,k}^i$ is the steady state probability that the system be in state (i, j, k) . Let $\Pi = \left\{ \prod_{j,k}^{nQ}, \prod_{j,k}^{n-1}, \dots, \prod_{j,k}^{nQ} \right\}$ denote the steady state probability distribution. For each $((i, j, k), \prod_{j,k}^i$ can be obtained by solving the

matrix equation $\Pi C = 0$ together with normalizing condition $\sum_{(i,j,k) \in E} \prod_{j,k}^i = 1$

4. Operating characteristic

In this section we derive some important system performance measure.

4.1. Average inventory level

The event I_R, I_{Rd}, I_{Od} denote the average inventory level at Retailer, Regular supplier, and Outside supplier respectively,

$$(i) \quad I_R = \sum_{k=Q}^{nQ^*} \sum_{j=Q}^{nQ^*} \sum_{i=0}^S i \prod_{j,k}^i$$

$$(ii) \quad I_{Rd} = \sum_{k=Q}^{nQ^*} \sum_{i=0}^S \sum_{j=Q}^{nQ^*} j \prod_{j,k}^i$$

$$(iii) \quad I_{Od} = \sum_{j=Q}^{nQ^*} \sum_{i=0}^S \sum_{k=0}^{nQ^*} k \prod_{j,k}^i$$

4.2. Mean reorder rate

Let R_R, R_{Rd}, R_{Od} be the mean reorder rate at retailer, regular supplier, outsource supplier respectively,

$$(i) \quad R_R = \lambda \sum_{k=Q}^{nQ^*} \sum_{j=Q}^{nQ^*} \prod_{j,k}^{s+1}$$

$$(ii) \quad R_{Rd} = \mu_1 \sum_{k=Q}^{nQ^*} \sum_{i=0}^s \prod_{Q,k}^i$$

$$(iii) \quad R_{Od} = \mu_2 \sum_{j=Q}^{nQ^*} \sum_{i=0}^s \prod_{j,Q}^i$$

4.3. Shortage rate

Let S_R , be the shortage rate at retailer and it is given by

$$(i) \quad S_R = \lambda \sum_{k=Q}^{nQ} \sum_{j=Q}^{nQ} \prod_{j,-b}^i$$

5. Cost analysis

In this section we impose a cost structure for the proposed model and analyze it by the criteria of minimization of long run total expected cost per unit time. The long run expected cost rate C(S, Q) is given by

$$c(s, Q) = (H_r * I_r) + (H_{rd} * I_{rd}) + (H_{od} * I_{od}) + (O_r * R_r) + (O_{rd} * R_{rd}) + (O_{od} * R_{od}) + (P_r * S_r)$$

Although we have a not proved analytically the convexity of the cost function C(S,Q) our experience with considerable number of numerical examples indicate that C(s,Q) for fixed Q appears to be convex s. In some cases it turned out to be increasing function of s. For large number case of C(s,Q) revealed a locally convex structure. Hence we adopted the numerical search procedure to determine the optimal value of s.

6. Numerical example and sensitivity analysis

6.1. Numerical example

In this section, we discuss the problem of minimizing the structure. We assume $H_r \leq H_{rd} \leq H_{od}$ the holding cost at distribution node is less than that of regular distributor node and an outside distributor node. Holding cost at the regular distributor node is less than outsource distributor node as the rental charge may be high at outsource distributor. Also $O_r \leq O_{rd} \leq O_{od}$ the ordering cost at retailer node is less than that of regular distributor node and an outsource distributor node. Ordering cost at the regular distributor is less than outsource distributor node. The results we obtained in the steady state case may be illustrated through the following numerical example,

$$S = 16, M = 80, N = 60, \lambda = 4, \mu_1 = 3, \mu_2 = 2 \quad H_r = 1.1, H_{rd} = 1.2, H_{od} = 1.3$$

$$O_r = 2.1, O_{rd} = 2.2, O_{od} = 2.3 \quad P_r = 3.1, P_{rd} = 3.2, b = 3$$

The cost for different reorder level are given by

s	1	2	3	4*	5	6	7
Q	15	14	13	12	11	10	9
C(s, Q)	249.9449	226.771	194.037	188.3588	202.05	236.554	265

Table 1: Total expected cost rate as a function s and Q

For the inventory capacity S, the optimal reorder level s* and optimal cost C(s,Q) are indicated by the symbol *. The Convexity of the cost function is given in the graph.

7. Conclusion

This paper deals with an Inventory problem with two supplier, namely a regular supplier and outside supplier. The demand at retailer node follows Poisson with rate λ. The structure of the chain allows vertical movement of goods from to regular supplier to Retailers. If there is no stock in regular supplier, then the retailer will get products from outside supplier. The model is analyzed within the framework of Markov processes. Joint probability distribution of inventory levels at retailer, Regular and Outside suppliers in

Continuous Review Two-Echelon (s, S) Inventory System with Partial Backlogging

the steady state are computed. Various system performance measures are derived and the long-run expected cost rate is calculated. By assuming a suitable cost structure on the inventory system, we have presented extensive numerical illustrations to show the effect of change of values on the total expected cost rate. It would be interesting to analyze the problem discussed in this paper by relaxing the assumption of exponentially distributed lead-times to a class of arbitrarily distributed lead-times using techniques from renewal theory.




Figure 1:

REFERENCES

1. S.Axsater, Exact and approximate evaluation of batch ordering policies for two level inventory systems, *Oper. Res.*, 41 (1993) 777-785.
2. B.M.Beamon, Supply chain design and analysis: models and methods, *International Journal of Production Economics*, 55(3) (1998) 281-294.
3. E.Cinlar, *Introduction to Stochastic Processes*, Prentice Hall, Engle-wood Cliffs, NJ, (1975).
4. A.J.Clark and H.Scarf, Optimal policies for a multi- echelon inventory problem, *Management Science*, 6(4) (1960) 475-490.
5. G.Hadley and T.M.Whitin, *Analysis of inventory systems*, Prentice-Hall, Englewood Cliff. (1963).
6. F.Harris, *Operations and costs, factory management series*, A.W.Shah Co., Chicago, 48-52, (1915).
7. S.Kalpakam and G.Arivarigan, A coordinated multicommodity (s, S) inventory system, *Mathematical and Computer Modelling*, 18 (1993) 69-73.
8. S.Karlin and M.Taylor, *An Introduction to Stochastic Modeling*, Third edition, Academic press, New York, (1998).
9. K.Krishnan, *Stochastic Modeling in Supply Chain Management System*, unpublished Ph.D., Thesis, Madurai Kamaraj University, Madurai, (2007).
10. J.Medhi, *Stochastic processes*, Third edition, New Age International Publishers, New Delhi, (2009).
11. E.Naddor, *Inventory System*, John Wiley and Sons, New York, (1966).

S. Mohamed Basheer, R. Karthikeyan and K. Krishnan

12. M.Rameshpandi, C.Periyasamy and K.Krishnan, Analysis of two-echelon perishable inventory system with direct and retrial demands, *IOSR Journal of Mathematics*, 10 (5) (2014) 51-57.
13. M.Rameshpandi, C.Periyasamy and K.Krishnan, Two Echelon inventory system with finite population and retrial demands, Proceedings of the National conference on Mathematical Modelling, (2014) 128-135.